# Author Index


Adamowicz, L., see Rostkowska, H. (1172) 239
Aebersold, R., see Keller, S.R. (1172) 323
Ahlers, C., see Bläker, M. (1172) 131
Aiuti, A., see Citarella, F. (1172) 197
Akaike, T., see Takezawa, R. (1172) 220
Alejandro, R., see Milde, K.F. (1172) 315
Aleman-Gomez, J.A., see Colwell, N.S. (1172) 175
Alpers, D.H., see Li, N. (1172) 21
Alvídrez-Quihui, L.E., see Rincón-Limas, D.E. (1172) 49
An, G. and Wu, R.
cDNA cloning of a hnRNP A1 isoform and its regulation by retinol in monkey tracheobronchial epithelial cells (1172) 292
Ariga, H., see Iguchi-Ariga, S.M.M. (1172) 73
Ariga, H., see Saëgusa, Y. (1172) 274
Arwert, F., see Li, N. (1172) 21
Austin, C.A., Sng, J.-H., Patel, S. and Fisher, L.M.
Novel HeLa topoisomerase II is the II$\beta$ isoform: complete coding sequence and homology with other type II topoisomerases (1172) 283

Baas, F., see Van Groenigen, M. (1172) 138
Barnstein, A.M., see Takeyasu, K. (1172) 212
Barrera-Saldaña, H.A., see Rincón-Limas, D.E. (1172) 49
Beck, E., see Hromas, R. (1172) 155
Beebee, T.J.C., see Mburu, P.W. (1172) 5
Belo, J.A., see Duarte, M. (1172) 327
Bläker, M., Kock, K., Ahlers, C., Buck, F. and Schmale, H.
Molecular cloning of human von Ebner's gland protein, a member of the lipocalin superfamily highly expressed in lingual salivary glands (1172) 131
Bottino, P.J., see Feng, X.-H. (1172) 200
Boussadia, O., Jacquemin-Sablon, H. and Dautry, F.
Exon skipping in the expression of the gene immediately upstream of N-*ras* (*unr / NRU*) (1172) 64
Brennicke, A., see Schuster, W. (1172) 205
Bressan, G.M., see Marigo, V. (1172) 31
Bretner, M., see Rostkowska, H. (1172) 239
Buck, F., see Bläker, M. (1172) 131
Buraczewska, I., see Kowalska-Loth, B. (1172) 117

Canossa, M., Ventura, C., Vaona, I., Carboni, L., Guarnieri, C. and Spampinato, S.
Prodynorphin mRNA expression in adult cultured rat ventricular cardiac myocytes (1172) 247
Capaldi, R.A., see Sadlock, J.E. (1172) 223
Carboni, L., see Canossa, M. (1172) 247
Carmona, M.J., see Fernández, J.A. (1172) 346
Castagnaro, A., see Fernández, J.A. (1172) 346
Castro-MuñozLedo, F., see Rincón-Limas, D.E. (1172) 49
Chapman, K., Lyons, V. and Harmar, A.J.
The sequence of 5′ flanking DNA from the rat preprotachykinin gene; analysis of putative transcription factor binding sites (1172) 361
Citarella, F., Misiti, S., Felici, A., Aiuti, A., La Porta, C. and Fantoni, A.
The 5′ sequence of human Factor XII gene contains transcription regulatory elements typical of liver specific, estrogen-modulated genes (1172) 197
Clark, J.E., see Palmer, C.N.A. (1172) 161
Collins, S., Ostrowski, J. and Lefkowitz, R.J.
Cloning and sequence analysis of the human $\beta_1$-adrenergic receptor 5′-flanking promoter region (1172) 171
Colwell, N.S., Aleman-Gomez, J.A. and Kumar, B.V.
Molecular cloning and expression of rabbit pancreatic cholesterol esterase (1172) 175
Conner, G.E., see Milde, K.F. (1172) 315
Counillon, L. and Pouysségur, J.
Nucleotide sequence of the Chinese hamster $Na^+/H^+$ exchanger NHE1 (1172) 343
Cresteil, T., see Marie, S. (1172) 124
Cryer, A., see Edwards, W.D. (1172) 167

Daniels, S.E., see Edwards, W.D. (1172) 167
Dautry, F., see Boussadia, O. (1172) 64
Degtyarev, S.K., Prikhod'ko, E.A., Rechkunova, N.I. and Gorbunov, Y.A.
Interaction of *Vsp*I and *Tru*9I restriction endonucleases with synthetic oligonucleotides (1172) 89
Denny, C., see Hromas, R. (1172) 155
Dixon, G.H., see Štros, M. (1172) 231
Doenecke, D., see Drabent, B. (1172) 193
Drabent, B., Kunz, C. and Doenecke, D.
A rat histone H2B pseudogene is closely associated with the histone H1d gene (1172) 193
Duarte, M., Belo, J.A. and Videira, A.
Primary structure of the nuclear-encoded 10.5 kDa subunit of complex I from *Neurospora crassa* (1172) 327

Edwards, W.D., Daniels, S.E., Page, R.A., Volpe, C.P., Kille, P., Sweeney, G.E. and Cryer, A.
Cloning and sequencing of a full length cDNA encoding ovine lipoprotein lipase (1172) 167
Ehrlich, K.C.
Characterization of DBPm, a plant protein that binds to DNA containing 5-methylcytosine (1172) 108
Endo, A., see Watanabe, H. (1172) 43

Fair, D.S., see James, H.L. (1172) 301
Fambrough, D.M., see Takeyasu, K. (1172) 212
Fantoni, A., see Citarella, F. (1172) 197
Faulkner, P., see Hill, J.E. (1172) 187
Feierabend, J., see Schmidt, M. (1172) 349
Felici, A., see Citarella, F. (1172) 197
Feng, X.-H., Zhao, Y., Bottino, P.J. and Kung, S.-d.
Cloning and characterization of a novel member of protein kinase family from soybean (1172) 200
Fernández, J.A., Moreno, M., Carmona, M.J., Castagnaro, A. and García-Olmedo, F.
The barley $\alpha$-thionin promoter is rich in negative regulatory motifs and directs tissue-specific expression of a reporter gene in tobacco (1172) 346

Fisher, L.M., see Austin, C.A. (1172) 283
Fujita, H., see Yazaki, N. (1172) 37
Fukamizu, A., see Tamura, K. (1172) 306
Fukushima, Y., see Watanabe, H. (1172) 43
Futai, M., see Xie, D.-L. (1172) 267

Galli, I., see Saëgusa, Y. (1172) 274
Garcés, C., see Osada, J. (1172) 340
García-Olmedo, F., see Fernández, J.A. (1172) 346
Garner, C.W., see Keller, S.R. (1172) 323
Gilmore, M.S., see Tan, S. (1172) 217
Giordano, S.J. and Steggles, A.W.
Differential expression of the mRNAs for the soluble and membrane-bound forms of rabbit cytochrome $b_5$ (1172) 95
Girolami, A., see James, H.L. (1172) 301
Glass, C.K., see Schmidt, E.D.L. (1172) 82
Gorbunov, Y.A., see Degtyarev, S.K. (1172) 89
Griffin, K.J., see Palmer, C.N.A. (1172) 161
Guarnieri, C., see Canossa, M. (1172) 247

Hall, L., see Perry, A.C.F. (1172) 159
Hamrick, M., see Takeyasu, K. (1172) 212
Harmar, A.J., see Chapman, K. (1172) 361
Hasumi, K., see Watanabe, H. (1172) 43
Hauck, Y., see Le Hégarat, F. (1172) 101
Hauska, G., see Xie, D.-L. (1172) 267
Hemminga, M.A., see Wolfs, C.J.A.M. (1172) 1
Higuti, T., Kuroiwa, K., Kawamura, Y., Morimoto, K. and Tsujita, H.
Molecular cloning and sequence of cDNAs for the import precursors of oligomycin sensitivity conferring protein, ATPase inhibitor protein, and subunit c of $H^+$-ATP synthase in rat mitochondria (1172) 311
Hill, J.E., Kuzio, J., Wilson, J.A., MacKinnon, E.A. and Faulkner, P.
Nucleotide sequence of the p74 gene of a baculovirus pathogenic to the spruce budworm, *Choristoneura fumiferana* multicapsid nuclear polyhedrosis virus (1172) 187
Hirano, M., see Miura, K. (1172) 357
Hirschbein, L., see Le Hégarat, F. (1172) 101
Hromas, R., May, W., Denny, C., Raskind, W., Moore, J., Maki, R.A., Beck, E. and Klemsz, M.J.
Human FLI-1 localizes to chromosome 11Q24 and has an aberrant transcript in neuroepithelioma (1172) 155
Hsu, M.-H., see Palmer, C.N.A. (1172) 161
Hu, C., see Ideguchi, T. (1172) 329
Hubbard, J.G., see James, H.L. (1172) 301

Ideguchi, T., Hu, C., Kim, B.-H., Nishise, H., Yamashita, J. and Kakuno, T.
An open reading frame in the *Rhodospirillum rubrum* plasmid, pKY1, similar to *algA*, encoding the bifunctional enzyme phosphomannose isomerase-guanosine diphospho-D-mannose pyrophosphorylase (PMI-GMP) (1172) 329
Iguchi-Ariga, S.M.M., Ogawa, N. and Ariga, H.
Identification of the initiation region of DNA replication in the murine immunoglobulin heavy chain gene and possible function of the octamer motif as a putative DNA replication origin in mammalian cells (1172) 73
Iguchi-Ariga, S.M.M., see Saëgusa, Y. (1172) 274
Ikura, K., see Suto, N. (1172) 319
Itoh, N., see Yazaki, N. (1172) 37
Itoh, T. and Teraoka, H.
Cloning and tissue-specific expression of cDNAs for the human and mouse homologues of rat pancreatitis-associated protein (PAP) (1172) 184

Jacquemin-Sablon, H., see Boussadia, O. (1172) 64
Jagannatha Rao, K.S., Sridhara Rao, B., Vishnuvardhan, D. and Prasad, K.V.S.
Alteration of superhelical state of DNA by aluminium (Al) (1172) 17
James, H.L., Girolami, A., Hubbard, J.G., Kumar, A. and Fair, D.S.
The dysfunction of coagulation factor $VII_{Padua}$ results from substitution of arginine-304 by glutamine (1172) 301
Johnson, E.F., see Palmer, C.N.A. (1172) 161
Jones, R., see Perry, A.C.F. (1172) 159

Kakuno, T., see Ideguchi, T. (1172) 329
Kamzolova, S.G., see Ozoline, O.N. (1172) 251
Kanai, S., see Miura, K. (1172) 357
Kapiszewska, M., see Kowalska-Loth, B. (1172) 117
Katoh, S., see Miura, K. (1172) 357
Kawamura, Y., see Higuti, T. (1172) 311
Kawasaki, T., see Yazaki, N. (1172) 37
Keller, S.R., Aebersold, R., Garner, C.W. and Lienhard, G.E.
The insulin-elicited 160 kDa phosphotyrosine protein in mouse adipocytes is an insulin receptor substrate 1: identification by cloning (1172) 323
Kille, P., see Edwards, W.D. (1172) 167
Kim, B.-H., see Ideguchi, T. (1172) 329
Klemsz, M.J., see Hromas, R. (1172) 155
Klenk, H.-P., Schwass, V. and Zillig, W.
Nucleotide sequence of the genes encoding proline tRNA(UGG) and threonine tRNA(GGU) and consensus promoter model of *Thermococcus celer* (1172) 236
Kloska, S., see Schuster, W. (1172) 205
Kock, K., see Bläker, M. (1172) 131
Kohsaka, M., see Satoh, S. (1172) 181
Konrad, M.
Identification and characterization of a yeast gene encoding an adenylate kinase homolog (1172) 12
Konta, Y., see Satoh, S. (1172) 181
Kowalska-Loth, B., Staron, K., Buraczewska, I., Szumiel, I., Kapiszewska, M. and Lange, C.S.
Reduced sensitivity to camptothecin of topoisomerase I from a L5178Y mouse lymphoma subline sensitive to X-radiation (1172) 117
Kulikowski, T., see Rostkowska, H. (1172) 239
Kumagai, I., see Ueda, Y. (1172) 262
Kumar, A., see James, H.L. (1172) 301
Kumar, B.V., see Colwell, N.S. (1172) 175
Kung, S.-d., see Feng, X.-H. (1172) 200
Kunz, C., see Drabent, B. (1172) 193
Kuri-Harcuch, W., see Rincón-Limas, D.E. (1172) 49
Kuroiwa, K., see Higuti, T. (1172) 311
Kusunoki, C., see Satoh, S. (1172) 181
Kuzio, J., see Hill, J.E. (1172) 187

Lambert, J., Provost, P.R., Marcel, Y.L. and Rassart, E.
Structure of the human apolipoprotein D gene promoter region (1172) 190
Lamers, W.H., see Schmidt, E.D.L. (1172) 82
Lange, C.S., see Kowalska-Loth, B. (1172) 117
Lapinski, L., see Rostkowska, H. (1172) 239
La Porta, C., see Citarella, F. (1172) 197
Lefkowitz, R.J., see Collins, S. (1172) 171
Le Hégarat, F., Salti-Montesanto, V., Hauck, Y. and Hirschbein, L.
Purification and characterization of the HU-like protein HPB9 from the *Bacillus subtilis* nucleoid (1172) 101
Le Pennec, J.-P., see Le Roux, M.-G. (1172) 226
Lepper, M., see Schmidt, M. (1172) 349
Le Roux, M.-G., Thézé, N., Wolff, J. and Le Pennec, J.-P.
Organization of a rainbow trout estrogen receptor gene (1172) 226
Leś, A., see Rostkowska, H. (1172) 239
Li, N., Seetharam, S., Lindemans, J., Alpers, D.H., Arwert, F. and Seetharam, B.

Isolation and sequence analysis of variant forms of human transcobalamin II (1172) 21
Lienhard, G.E., see Keller, S.R. (1172) 323
Lightowlers, R.N., see Sadlock, J.E. (1172) 223
Lill, H., see Xie, D.-L. (1172) 267
Lindemans, J., see Li, N. (1172) 21
Lyons, V., see Chapman, K. (1172) 361

Mackie, G.A., see Spencer, T.A. (1172) 332
MacKinnon, E.A., see Hill, J.E. (1172) 187
Maeda, M., see Xie, D.-L. (1172) 267
Maki, R.A., see Hromas, R. (1172) 155
Mangasarian, K. and Mellon, W.S.
1,25-Dihydroxyvitamin D-3 destabilizes *c-myc* mRNA in HL-60 leukemic cells (1172) 55
Marcel, Y.L., see Lambert, J. (1172) 190
Marie, S., Roussel, F. and Cresteil, T.
Age- and tissue-dependent expression of *CYP2C23* in the rat (1172) 124
Marigo, V., Volpin, D. and Bressan, G.M.
Regulation of the human elastin promoter in chick embryo cells. Tissue-specific effect of TGF-$\beta$ (1172) 31
Martínez-Rodríguez, H.G., see Rincón-Limas, D.E. (1172) 49
Masulis, I.S., see Ozoline, O.N. (1172) 251
May, W., see Hromas, R. (1172) 155
Mburu, P.W. and Beebee, T.J.C.
Preliminary characterisation and partial purification of ribosomal gene promoter-binding proteins from *Trypanosoma brucei* (1172) 5
Mellon, W.S., see Mangasarian, K. (1172) 55
Milde, K.F., Conner, G.E., Mintz, D.H. and Alejandro, R.
Primary structure of the canine CD4 antigen (1172) 315
Mintz, D.H., see Milde, K.F. (1172) 315
Misiti, S., see Citarella, F. (1172) 197
Miura, K., Shimazu, T., Motoki, A., Kanai, S., Hirano, M. and Katoh, S.
Nucleotide sequence of the Mn-stabilizing protein gene of the thermophilic cyanobacterium *Synechococcus elongatus* (1172) 357
Miura, K.-i., see Ueda, Y. (1172) 262
Moore, J., see Hromas, R. (1172) 155
Moreno, M., see Fernández, J.A. (1172) 346
Morimoto, K., see Higuti, T. (1172) 311
Motoki, A., see Miura, K. (1172) 357
Muerhoff, A.S., see Palmer, C.N.A. (1172) 161
Murakami, K., see Tamura, K. (1172) 306

Nakagawa, T., see Saëgusa, Y. (1172) 274
Naruse, A., Yamamoto, H. and Sekiguchi, J.
Nucleotide sequence of the large mitochondrial rRNA gene of *Penicillium chrysogenum* (1172) 353
Nelson, N., see Xie, D.-L. (1172) 267
Nicolosi, R.J., see Osada, J. (1172) 335
Nishimoto, M., Noshiro, M. and Okuda, K.
Structure of the gene encoding human liver cholesterol 7$\alpha$-hydroxylase (1172) 147
Nishise, H., see Ideguchi, T. (1172) 329
Nishiyama, K.-i., see Ueda, Y. (1172) 262
Niwa, M., see Satoh, S. (1172) 181
Noshiro, M., see Nishimoto, M. (1172) 147
Nowak, M.J., see Rostkowska, H. (1172) 239

Ogawa, N., see Iguchi-Ariga, S.M.M. (1172) 73
Ohta, M., see Yazaki, N. (1172) 37
Okuda, K., see Nishimoto, M. (1172) 147
Ono, N., see Saëgusa, Y. (1172) 274
Ordovás, J.M., see Osada, J. (1172) 335
Ordovás, J.M., see Osada, J. (1172) 340
Ortíz-López, R., see Rincón-Limas, D.E. (1172) 49
Osada, J., Garcés, C., Sastre, J., Schaefer, E.J. and Ordovás, J.M.
Molecular cloning and sequence of the cynomolgus monkey apolipoprotein A-II gene (1172) 340
Osada, J., Pocoví, M., Nicolosi, R.J., Schaefer, E.J. and Ordovás, J.M.
Nucleotide sequences of the *Macaca fascicularis* apolipoprotein C-III and A-IV genes (1172) 335
Ostrowski, J., see Collins, S. (1172) 171
Ozoline, O.N., Uteshev, T.A., Masulis, I.S. and Kamzolova, S.G.
Interaction of bacterial RNA-polymerase with two different promoters of phage T7 DNA. Conformational analysis (1172) 251

Page, R.A., see Edwards, W.D. (1172) 167
Palmer, C.N.A., Richardson, T.H., Griffin, K.J., Hsu, M.-H., Muerhoff, A.S., Clark, J.E. and Johnson, E.F.
Characterization of a cDNA encoding a human kidney, cytochrome *P*-450 4A fatty acid $\omega$-hydroxylase and the cognate enzyme expressed in *Escherichia coli* (1172) 161
Patel, S., see Austin, C.A. (1172) 283
Perry, A.C.F., Jones, R. and Hall, L.
Sequence analysis of monkey acrosin-trypsin inhibitor transcripts and their abundant expression in the epididymis (1172) 159
Pichl, L., see Schmidt, M. (1172) 349
Pocoví, M., see Osada, J. (1172) 335
Pouysségur, J., see Counillon, L. (1172) 343
Prasad, K.V.S., see Jagannatha Rao, K.S. (1172) 17
Prikhod'ko, E.A., see Degtyarev, S.K. (1172) 89
Provost, P.R., see Lambert, J. (1172) 190

Raskind, W., see Hromas, R. (1172) 155
Rasmussen, S.K.
A gene coding for a new plant serpin (1172) 151
Rassart, E., see Lambert, J. (1172) 190
Rechkunova, N.I., see Degtyarev, S.K. (1172) 89
Reséndez-Pérez, D., see Rincón-Limas, D.E. (1172) 49
Richardson, T.H., see Palmer, C.N.A. (1172) 161
Rincón-Limas, D.E., Reséndez-Pérez, D., Ortíz-López, R., Alvídrez-Quihui, L.E., Castro-MuñozLedo, F., Kuri-Harcuch, W., Martínez-Rodríguez, H.G. and Barrera-Saldaña, H.A.
HGH isoforms: cDNA expression, adipogenic activity and production in cell culture (1172) 49
Rostkowska, H., Nowak, M.J., Lapinski, L., Bretner, M., Kulikowski, T., Leś, A. and Adamowicz, L.
Theoretical and matrix-isolation experimental studies on 2-thiocytosine and 5-fluoro-2-thiocytosine (1172) 239
Roussel, F., see Marie, S. (1172) 124

Sachdev, G.P., see Tan, S. (1172) 217
Sadlock, J.E., Lightowlers, R.N., Capaldi, R.A. and Schon, E.A.
Isolation of a cDNA specifying subunit VIIb of human cytochrome *c* oxidase (1172) 223
Saëgusa, Y., Sato, M., Galli, I., Nakagawa, T., Ono, N., Iguchi-Ariga, S.M.M. and Ariga, H.
Stimulation of SV40 DNA replication and transcription by *Alu* family sequence (1172) 274
Sakai, K., see Watanabe, H. (1172) 43
Salti-Montesanto, V., see Le Hégarat, F. (1172) 101
Sasaki, R., see Suto, N. (1172) 319
Sastre, J., see Osada, J. (1172) 340
Sato, M., see Saëgusa, Y. (1172) 274
Satoh, S., Kusunoki, C., Konta, Y., Niwa, M. and Kohsaka, M.
Cloning and structural analysis of genomic DNA for human renal dipeptidase (1172) 181
Schaefer, E.J., see Osada, J. (1172) 335
Schaefer, E.J., see Osada, J. (1172) 340
Scheit, K.H., see Wempe, F. (1172) 209

Schmale, H., see Bläker, M. (1172) 131
Schmidt, E.D.L., Van Beeren, M., Glass, C.K., Wiersinga, W.M. and Lamers, W.H.
Interaction between the thyroid hormone receptor and co-factors on the promoter of the gene encoding phospho*enol*pyruvate carboxykinase (1172) 82
Schmidt, M., Pichl, L., Lepper, M. and Feierabend, J.
Identification of the nuclear-encoded chloroplast ribosomal protein L12 of the monocotyledonous plant *Secale cereale* and sequencing of two different cDNAs with strong codon bias (1172) 349
Schon, E.A., see Sadlock, J.E. (1172) 223
Schuster, W., Kloska, S. and Brennicke, A.
An adenine nucleotide translocator gene from *Arabidopsis thaliana* (1172) 205
Schwass, V., see Klenk, H.-P. (1172) 236
Seetharam, B., see Li, N. (1172) 21
Seetharam, S., see Li, N. (1172) 21
Sekiguchi, J., see Naruse, A. (1172) 353
Shankar, V., see Tan, S. (1172) 217
Shimazu, T., see Miura, K. (1172) 357
Shinagawa, R., see Suto, N. (1172) 319
Shinzawa, K., see Takezawa, R. (1172) 220
Sng, J.-H., see Austin, C.A. (1172) 283
Spampinato, S., see Canossa, M. (1172) 247
Spencer, T.A. and Mackie, G.A.
The nucleotide sequence of a cloned cDNA encoding ribosomal protein S6 from *Drosophila melanogaster* (1172) 332
Sridhara Rao, B., see Jagannatha Rao, K.S. (1172) 17
Staron, K., see Kowalska-Loth, B. (1172) 117
Steggles, A.W., see Giordano, S.J. (1172) 95
Štros, M. and Dixon, G.H.
A retropseudogene for non-histone chromosomal protein HMG1 (1172) 231
Suto, N., Ikura, K., Shinagawa, R. and Sasaki, R.
Identification of promoter region of guinea pig liver transglutaminase gene (1172) 319
Sweeney, G.E., see Edwards, W.D. (1172) 167
Szumiel, I., see Kowalska-Loth, B. (1172) 117

Taguchi, S., see Ueda, Y. (1172) 262
Takeyasu, K., Hamrick, M., Barnstein, A.M. and Fambrough, D.M.
Structural analysis and expression of a chromosomal gene encoding an avian $Na^+/K^+$-ATPase $\beta$1-subunit (1172) 212
Takezawa, R., Shinzawa, K., Watanabe, Y. and Akaike, T.
Determination of mouse major asialoglycoprotein receptor cDNA sequence (1172) 220
Tamura, K., Tanimoto, K., Murakami, K. and Fukamizu, A.
Activation of mouse renin promoter by cAMP and c-Jun in a kidney-derived cell line (1172) 306
Tan, S., Shankar, V., Gilmore, M.S. and Sachdev, G.P.
Nucleotide sequence of a cDNA for canine $\beta$-spectrin reveals high evolutionary conservation (1172) 217
Tanimoto, K., see Tamura, K. (1172) 306
Teraoka, H., see Itoh, T. (1172) 184
Thézé, N., see Le Roux, M.-G. (1172) 226
Tsujita, H., see Higuti, T. (1172) 311

Ueda, Y., Taguchi, S., Nishiyama, K.-i., Kumagai, I. and Miura, K.-i.
Effect of a rare leucine codon, TTA, on expression of a foreign gene in *Streptomyces lividans* (1172) 262
Uteshev, T.A., see Ozoline, O.N. (1172) 251

Valentijn, L.J., see Van Groenigen, M. (1172) 138
Van Beeren, M., see Schmidt, E.D.L. (1172) 82
Van der Graaf, M., see Wolfs, C.J.A.M. (1172) 1
Van Groenigen, M., Valentijn, L.J. and Baas, F.
Identification of a functional initiator sequence in the human *MDR1* promoter (1172) 138
Vaona, I., see Canossa, M. (1172) 247
Ventura, C., see Canossa, M. (1172) 247
Videira, A., see Duarte, M. (1172) 327
Vishnuvardhan, D., see Jagannatha Rao, K.S. (1172) 17
Volpe, C.P., see Edwards, W.D. (1172) 167
Volpin, D., see Marigo, V. (1172) 31

Watanabe, H., Hasumi, K., Fukushima, Y., Sakai, K. and Endo, A.
Cloning of two isozymes of *Trichoderma koningii* glyceraldehyde-3-phosphate dehydrogenase with different sensitivity to koningic acid (1172) 43
Watanabe, Y., see Takezawa, R. (1172) 220
Wempe, F. and Scheit, K.H.
Characterization of a full-length cDNA encoding a bovine four tandem-repeat ubiquitin (1172) 209
Wiersinga, W.M., see Schmidt, E.D.L. (1172) 82
Wilson, J.A., see Hill, J.E. (1172) 187
Wolff, J., see Le Roux, M.-G. (1172) 226
Wolfs, C.J.A.M., Van der Graaf, M. and Hemminga, M.A.
Conformational changes in oligo-nucleotides upon binding to a peptide representing the N-terminal region of a viral coat protein. An optical spectroscopy study (1172) 1
Wu, R., see An, G. (1172) 292

Xie, D.-L., Lill, H., Hauska, G., Maeda, M., Futai, M. and Nelson, N.
The atp2 operon of the green bacterium *Chlorobium limicola* (1172) 267

Yamamoto, H., see Naruse, A. (1172) 353
Yamashita, J., see Ideguchi, T. (1172) 329
Yazaki, N., Fujita, H., Ohta, M., Kawasaki, T. and Itoh, N.
The structure and expression of the FGF receptor-1 mRNA isoforms in rat tissues (1172) 37

Zhao, Y., see Feng, X.-H. (1172) 200
Zillig, W., see Klenk, H.-P. (1172) 236